


## Happy D.2 Washbasin # 2316600000

| < 600 mm > |



| Washbasin  | Dimension    | Weight    | Order number |
|--|--------------|-----------|--------------|
| Rectangular, Tap hole platform: Yes, Overflow: Yes, Incl. overflow clip, Underside glazed, 600 mm  |              |           |              |
|  |              |           |              |
| <b>Colors</b>  |              |           |              |
| 00 White Alpin   |              |           |              |
|  |              |           |              |
| <b>Variant</b>   |              |           |              |
| ● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle  |              | 19.500 kg | 2316600000   |
| Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come.<br>When ordering WonderGliss please add a "1" as eleventh digit to the model number. |              |           |              |
|  |              |           |              |
| <b>Accessory</b>   |              |           |              |
| Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm  | Ø 63.5 mm    | 0.35 kg   | 005052       |
| Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin  | 70 x 425 mm  | 1.5 kg    | 005036       |
|  |              |           |              |
| <b>Suitable products</b>   |              |           |              |
| Siphon cover Type of mounting: Wall-mounted, Incl. mounting material, 210 x 310 mm   | 210 x 310 mm |           | 085828       |
| Pedestal Type of mounting: Floorstanding, 225 x 170 mm   | 225 x 170 mm |           | 085827       |
|  |              |           |              |
| <b>Recommended faucets</b>   |              |           |              |

## Happy D.2 Washbasin # 2316600000

|< 600 mm >|

|   |              |           |
|---|--------------|-----------|
| Single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 41 mm   | 143 x 41 mm  | C11020001 |
| Single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 41 mm   | 175 x 41 mm  | B11020001 |
| Single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 138,5 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 41 mm   | 175 x 41 mm  | B21020001 |
| Single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 165 x 41 mm   | 165 x 41 mm  | C11030001 |
| Single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 174 mm  | 173 x 174 mm | C11070003 |
| Single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 225 mm  | 173 x 225 mm | C11070004 |
| 3 Hole basin mixer Height: 158 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Aerator adjustable, Ceramic cartridge, Spray mode: Normal spray, recommended operating pressure: 1 - 5 bar, 550 x 140 mm   | 550 x 140 mm | C11060005 |
| 2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm | 198 x 45 mm  | D11100008 |
| 2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm | 198 x 45 mm  | D11100007 |

## Happy D.2 Washbasin # 2316600000

|< 600 mm >|

|   |             |           |
|---|-------------|-----------|
| 2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm | 198 x 45 mm | D11120002 |
| 2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm | 198 x 45 mm | D11120009 |

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*