

### Basic set for thermostatic module Select for 3 functions

Surfaces: **n.a.**      Article Number: **18311180**



### Description


## product features

- 3 functions
- connection thread
- Rp ¾
- installation depth: 87 - 122 mm
- horizontal installation
- sound-decoupled installation
- connection dimension: DN15/DN20
- P-IX 29578/IBBB
- ACS 18 ACC LY 046, valide jusqu'au 24.01.2023
- JWWA E-565

### Product image



## Scale drawing









### Basic set for thermostatic module Select for 3 functions

Surfaces: n.a. Article Number: 18311180



## Installation examples

AXOR be set  
1831115X/1835000X

[illegible]


### Basic set for thermostatic module Select for 3 functions

Surfaces: n.a. Article Number: 18311180



## Exploded Drawing

Year of production: >10/17



## Basic set for thermostatic module Select for 3 functions

Surfaces: n.a. Article Number: 18311180



### Spare part list

Year of production: >10/17

Pos.	Description	Article Number	PC	PU
1	O-ring 15x2	98163000	0	1
2	O-ring 38x2,5	98198000	0	1
3	O-ring 34x2	98383000	0	1
4	O-ring 20x2	98165000	0	1
5	O-ring 21,95x1,78	95169000	0	1
6	O-ring 20x1,5	98197000	0	1
7	O-ring 18x2	98181000	0	1
8	O-ring 17x1,5	98137000	0	1
9	O-ring 13x2	98128000	0	1
a	extension 25 mm	93433000	0	1