

Brand	AXOR
Art. Name	AXOR Citterio C Mixer for concealed installation for 2 functions - cubic cut
Art. Nr.	49451000
Surface	Chrome


Product picture



Features

- 2 functions
- volume control and diverter for 2 functions
- maximum flow rate at 3 bar: 29,5 l/min
- maximum flow rate at 1 bar: 15 l/min
- flow rate upper outlet: 29,5 l/min
- ceramic cartridge for temperature control, shut-off/ diverter valve
- with silencer
- flat escutcheon for more space in the shower
- can be used as bath or shower mixer
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by +/- 3°
- material escutcheon: metal
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: basic set iBox universal 2 (# 01400180)
- flow rate lower outlet: 29,5 l/min

Drawing




Technology



Brand AXOR
Art. Name **AXOR Citterio C** Mixer for concealed installation for 2 functions - cubic cut
Art. Nr. 49451000
Surface Chrome

Required parts

Product picture	Art. Name	Art. Nr.
	AXOR AXOR iBox universal 2 Basic set	01400180

Brand AXOR
 Art. Name **AXOR Citterio C** Mixer for concealed installation for 2 functions - cubic cut
 Art. Nr. 49451000
 Surface Chrome

Flow chart

